

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: **Seijiro TOMITA**

Serial Number: **Not Yet Assigned**

Filed: **December 2, 2003**

For: **STEREOSCOPIC VIDEO IMAGE DISPLAY APPARATUS AND STEREOSCOPIC
VIDEO SIGNAL PROCESSING CIRCUIT**

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

December 2, 2003

Sir:

In compliance with 37 CFR 1.56, Applicant calls to the attention of the Patent and Trademark


Office the reference listed on the attached PTO-1449.

In the event there are any fees due in connection with the filing of this paper, please charge

Deposit Account No. 01-2340.

Respectfully submitted,

ARMSTRONG, KRATZ, QUINTOS,
HANSON & BROOKS, LLP


William G. Kratz, Jr.
Attorney for Applicant
Reg. No. 22,631

WGK/jaz
Atty. Docket No. **031304**
Suite 1000
1725 K Street, N.W.
Washington, D.C. 20006
(202) 659-2930



23850

PATENT TRADEMARK OFFICE

Enclosures: PTO-1449

| | | |
|--|--------------------------------------|---|
| INFORMATION DISCLOSURE STATEMENT PTO-1449 | Atty. Docket No. 031304 | Serial No. New Application |
| | Applicant(s): Seijiro TOMITA | |
| | Filing Date: December 2, 2003 | Group Art Unit: Not Yet Assigned |

U.S. PATENT DOCUMENTS

| Examiner Initial | | Document No. | Name | Date | Class | Subclass | Filing Date (If appropriate) |
|---------------------|----|--------------|-----------------|----------|-------|----------|------------------------------------|
| _____ | AA | 6,411,016 | M. Umeda et al. | 06/25/02 | | | |
| _____ | AB | | | | | | |
| _____ | AC | | | | | | |
| _____ | AD | | | | | | |

FOREIGN PATENT DOCUMENTS

| | | Document No. | Date | Country | Translation (Yes or No) |
|-------|----|--------------|------|---------|----------------------------|
| _____ | AE | | | | |
| _____ | AF | | | | |
| _____ | AG | | | | |
| _____ | AH | | | | |
| _____ | AI | | | | |

OTHER DOCUMENTS

| | | |
|----------|----|-----------------|
| _____ | AJ | |
| _____ | AK | |
| Examiner | | Date Considered |